

Material Safety Data Sheet

May be used to comply with OSHA's
Hazard Communication Standard, 29 CFR 1910.1200

IDENTITY (As used on labels and List)

Specific Hazard	Personal Protection
4-Severe	X-Ask a supervisor
3-Serious	A-Safety Glasses
2-Moderate	B-Goggles, Gloves
1-Slight	C-Goggles, Gloves, Apron
0-Minimal	D-Goggles, Gloves, Apron, & Faceshield
<u>Health</u> (2)	<u>Reactivity</u> (1)
<u>Flammability</u> (0)	<u>Personal Protection</u> (B)

New Caps NL205

SECTION I

MFGR'S NAME AND ADDRESS: Newline Industries
1030 D West Amelia Street
Orlando, FL 32805

EMERGENCY TELEPHONE NUMBER:	800-535-5053	DATE
PREPARED:		
Telephone Number For Information:	407-480-5464	8/25/2010

SECTION II - HAZARDOUS INGREDIENTS/ IDENTITY INFORMATION

Hazardous Components Specific Chemical Identity Common Name(s)	OSHA PEL	ACGIH	TLV	Other LIMITS Recommended	% Optional
ISOPROPANOL					4-7%
SODIUM LAUREL SULFATE					10-18%

SECTION III-PHYSICAL/CHEMICAL CHARACTERISICS

BOILING POINT (F)	Over 212 F	SPECIFIC GRAVITY (H2O=1)	1.01
VAPOR PRESSURE (mm Hg.)	N/A	MELTING POINT	N/A
VAPOR DENSITY (air = 1)	N/A	EVAPORATION RATE	Less than 1
SOLUBILITY IN WATER	Complete	(Butyl Acetate = 1)	
APPEARANCE AND ODOR: Clear, yellow liquid with slight chemical odor			

SECTION IV- FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED)	FLAMMABLE LIMITS	LEL	UEL
Closed Cup- Over 250 F	N/A	N/A	N/A

EXTINGUISHING MEDIA: Water Fog, Carbon Dioxide or Dry Chemical

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus and protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

SECTION V - REACTIVITY DATA NEW CAPS NL205

STABILITY: UNSTABLE () CONDITONS TO AVOID:
 STABLE (x) None

INCOMPATIBILITY (MATERIALS TO AVOID)

Strong ACIDS and OXIDIZERS

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

Burning can produce carbon monoxide and/or carbon dioxide.

HAZARDOUS May Occur () Conditions to Avoid:

Polymerization May Not Occur (x) None

SECTION VI - HEALTH HAZARD DATA**ROUTES (S) OF ENTRY:**

INHALATION : YES

SKIN: YES

INGESTION: NO

Health Hazards (Acute and Chronic)

Direct contact can cause eye and skin irritation. If swallowed , can cause gastrointestinal irritation , nausea, vomiting and diarrhea.

CARCINOGENICITY: NTP? IARC Monographs? OSHA Regulated?
 No No No

SIGNS AND SYMPTOMS OF EXPOSURE: Excessive inhalation of vapors can cause nasal and respiratory irritation, dizziness, weakness, fatigue, nausea and headache.**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Pre-existing blood, liver, and/or kidney disorders may be aggravated by overexposure to this product.**EMERGENCY AND FIRST AID PROCEDURES:****SKIN** contact: Wash thoroughly with water. If irritation continues, call a physician.**EYE** contact: Flush with copious amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. If irritation continues, call a physician.**INGESTION:** If swallowed, promptly call a physician.**SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE****STEPS TO BE TAKEN IF MATERIAL IS RELAESED OR SPILLED:**

Take up liquid with absorbent material and remove mechanically.

WASTE DISPOSAL METHOD:

Dispose of waste in accordance with Federal, State and Local ordinances.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

Keep containers tightly closed, cool, dry and away form sources of ignition. Use and store with adequate ventilation.

OTHER PRECAUTIONS: All precautions in this MSDS must be observed.**SECTION VIII - CONTROL MEASURES****RESPIRATORY PROTECTION****(SPECIFIC TYPE):** None required for normal handling.**VENTILATION:**

LOCAL EXHAUST: Adequate SPECIAL : NONE
MECHANICAL (GENERAL): Adequate OTHER: NONE

PROTECTIVE GLOVES: Impervious rubber gloves**EYE PROTECTION:** Chemical splash goggles**OTHER PROTECTIVE EQUIPMENT:** None**WORK / HYGIENIC PRACTICES:** Wash thoroughly after handling.

We believe all information given is accurate. It is offered in good faith, but without guarantee. Since conditions are beyond our control, user assumes all responsibility and risk.